



THP : TIPPER SEMI TRAILER  
TTH : TRUCK BODY





Foldable rear bumper



Remote control for PTO control and tipping



Electronically Controlled Air Suspension

One solution -  
Wide range  
of choices



Truck body applications

Different running gear options



Automatically locking rear gate



Protected rear lamp group

THP : Tipper Semi Trailer

TTH : Truck body

Technical Specifications:

Technical king pin capacity	11.500 kg
Technical axle group capacity	27.000 kg
Total technical capacity	38.500 kg
Empty weight (in running order)	6.900 kg
Axle spread	1310 - 1310 mm
Front chassis thickness	230 mm
Coupling height	1.200 mm

Type		THP018	THP020	THP022	THP024	THP026	THP028
Capacity	18 m <sup>3</sup>	•	-	-	-	-	-
	20 m <sup>3</sup>	-	•	-	-	-	-
	22 m <sup>3</sup>	-	-	•	-	-	-
	24 m <sup>3</sup>	-	-	-	•	-	-
	26 m <sup>3</sup>	-	-	-	-	•	-
	28 m <sup>3</sup>	-	-	-	-	-	•
Body type	Wear resistant steel (Hardox/ Raex)	•	•	•	•	•	•
	High grade steel S700	•	•	•	•	•	•
	ST 52 steel body	•	•	•	•	•	•
Tires				385/65 R 22.5			
Foldable bumper		•	•	•	•	•	•
Accessories	Plastic toolbox (600 mm)	•	•	•	•	•	•
	Fire extinguisher holder	•	•	•	•	•	•
	Wheelchoke and holder	•	•	•	•	•	•
	Sparewheel carrier	•	•	•	•	•	•
	1 Unit	•	•	•	•	•	•
	Reflectors according to ECE 70.01	•	•	•	•	•	•
Reflective strips according to ECE 104	•	•	•	•	•	•	
Cataphoretic paint with 2 component top coat	•	•	•	•	•	•	

\* May vary according to accessories and additional equipment

## ORTHAUS Trailers

### Headquarters

Merkez Mah. 29 Ekim Cad. No:16  
Yenibosna - Bahçelievler - İstanbul

Phone : +90 264 888 00 00  
Fax : +90 212 496 02 03

### Akyazı Production Plant

İstiklal Mah. Kışlaalanı Cad. No.14 - Akyazı - Sakarya

Phone : +90 264 888 00 00

www.orthaus.com

